

3000S

Provides: **Fig 1.** provides 1800mm² equivalent area (E+W), 3000mm² free area (S).

Fig 2. provides 2500mm² equivalent area (E+W), 4240mm² free area (S).

Content: Inner control unit, external hood, fixing screws and covers.

To install: Rout slot (Fig.1/2) screw fix to frame and push fit end caps.

Fig 1: Rout detail



Fig 2: Rout detail



Greenwood
WINDOW VENTS

Greenwood House,
Brookside Avenue,
Rustington,
West Sussex, BN16 3LF
Tel: +44 (0) 1903 771021
Fax: +44 (0) 1903 782398
Web: www.greenwood.co.uk
Email: info@greenwood.co.uk

4000S

Provides: **Fig. 1** provides 2700mm² equivalent area (E+W), 4000mm² free area (S). **Fig. 2** provides 3200mm² equivalent area (E+W), 5400mm² free area (S)

Content: Inner control unit, external hood with integral flyscreen, fixing screws and covers.

To install: Rout slot (Fig.1/2) screw fix to frame and push fit end caps.

Fig 1: Rout detail





Fig 2: Rout detail



07.03.223



Greenwood
WINDOW VENTS

Greenwood House,
Brookside Avenue,
Rustington,
West Sussex, BN16 3LF
Tel: +44 (0) 1903 771021
Fax: +44 (0) 1903 782398
Web: www.greenwood.co.uk
Email: info@greenwood.co.uk

6000S

Provides: **Fig.1** provides 3400mm² equivalent area (E+W), 6000mm² free area (S). **Fig. 2** provides 4200mm² equivalent area (E+W), 8000mm² free area (S)

Content: Inner control unit, external hood with integral flyscreen, fixing screws and covers.

To install: Rout slot (Fig.1/2) screw fix to frame and push fit end caps.

Fig 1: Rout detail





Fig 2: Rout detail



07.03.225



Greenwood
WINDOW VENTS

Greenwood House,
Brookside Avenue,
Rustington,
West Sussex, BN16 3LF
Tel: +44 (0) 1903 771021
Fax: +44 (0) 1903 782398
Web: www.greenwood.co.uk
Email: info@greenwood.co.uk